



  
**GWC IMPEX**  
Grow | Win | Conquer

Importers of Bitumen & Other Bituminous Products

[www.gwcimpex.com](http://www.gwcimpex.com)





Importers Of  
Premium Quality  
**Bitumen**

***Trust the Best***

[gwcimpex.com](http://gwcimpex.com)





## Director's Message

GWC IMPEX is formed with the primary aim to be a formidable quality supplier of various materials used in road construction at competitive rates to our customers. The expertise of over 5 years in the industry has helped in procuring quality materials at the right time keeping in mind the demand and supply structure of the producers. We reckon to be a strong force behind the road construction industry in India by making the materials available as and when needed.

With globalisation revamping every industry in the world, we, at GWC Impex, understand that consumers' satisfaction is the ultimate success of globalisation as well as our organisation. In a competitive market such as now, we firmly believe that 'trust' is the key to getting business and building long term relationships with the customers.

With its superior quality products, GWC Impex aims at satisfying the needs of the consumers while safeguarding the environment for sustainability. We endeavour to bring about changes that would last for a long time as a benchmark in infrastructure development.

I would like to offer my gratitude to our valuable customers, world-class suppliers and our enthusiastic staff who have made it all possible.



“

*Success is journey, not a destination.  
It requires constant effort, vigilance  
and re-evaluation - **Mark Twain***

”





# About The Company

GWC Impex is one of the leading importers of Bitumen in India catering to customers across India and other countries.

Our products are of the highest quality meeting the necessary guidelines. Test Reports are provided with every consignment assuring and re affirming the quality promised to our customers.

Our expertise in understanding the Petroleum Industry and tie up with quality refineries gives us a competitive advantage which we capitalise in providing material at very competitive rates to our customers. We strongly believe that greater road development paves the way for a stronger and better nation





**Catering/ Extending  
24\*7 services to our  
Pan-India associates**



# Transportation And Logistics

We have tie-ups with the biggest transportation companies in India. This helps in fulfilling our commitment to deliver the products on time. The customers reap the benefit of competitive prices as a result of our long-term association with the transportation companies.

We supply via roads as well as railways with utmost efficiency to meet the demands of the customers. This helps us avoid the issues that come with outsourcing of transportation services.









# Refinery


**We are associated with the world's best refineries to deliver the best quality Bitumen.**







# Administrative Department





# Storage





# What We Offer

## BITUMEN

### Penetration Grades

Test	Test Method	10/20	60/70	80/100
Specific gravity @ 25° C	ASTMD-70	1.01-1.06	1.01-1.06	1.01-1.06
Penetration @ 25° C	ASTMD -5	10-20	60-70	85-100
Softening point, min	ASTMD-36	60-70	46	42
Ductility at 25° C min	ASTMD-113	5	100	100
Loss on heating %, max	ASTMD-6	0.2	0.2	0.5
Drop in penetration after heating %, max	ASTM D-6 & D-5	20	20	20
Flash point, min	ASTM D-92	250	230	230
Solubility in TCE, min	ASTM D-2042	99	99	99
Spot Test	A.A.S.H.T.O.T.102	Negative	Negative	Negative





# What We Offer

## BITUMEN

### Viscosity Grades

Test	Bis Method	Specification		
		VG10	VG30	VG40
Absolute viscosity at 60°C, Poises	ASTMD-2171	Min.800	Min.2400	Min.3200
Kinematic viscosity at 135°C, cSt	ASTMD-2170	Min.250	Min.350	Min.400
Flash point (Cleveland open cup)°C	ASTMD-92	Min.220	Min.220	Min.220
Solubility in trichloroethylene, %	ASTMD-2040	Min.99	Min.99	Min.99
Softening point(R&B), °C	ASTMD-36	Min.40	Min.47	Min.50
Penetration @ 25°C, 0.1mm 100 gm, 5 sec	ASTMD-5	80-100	50-70	40-60
Tests on Residue from Thin Film Oven Tests/ RTFOT				
I) Viscosity ratio at 60°C	ASTMD-2171	Max.4.0	Max.4.0	Max.4.0
II) Ductility at 25°C, cm, after thin-film oven tests	ASTMD-113	Min.75	Min.40	Min.25
Specific gravity @ 27/27°C	ASTMD-70	Min.0.99	Min.0.99	Min.0.99





# Delivery

## Drums







**Safe Road,  
Safe World!!**

  
**GWC IMPEX**  
Grow | Win | Conquer

Visit Us

**1st Floor, Anil Plaza-II, ABC, G.S. Road,  
Guwahati-781005, Assam, India**

Call Us

**+91 6003903276**

Mail Us

**contact@gwcimpex.com**

**www.gwcimpex.com**